

North America




Installation guideline for Luna Panel System


LUNAWOOD

Luna Panel System Product Family


Luna Panel System has a contemporary design with a narrow shadow line. Five different products of the Panel System profiles enables you to design various rhythms for any application.

Luna Panel System 1x3




actual size	0.75" x 2.7" (19x68 mm)
class	LunaThermo-D
species	Nordic pine
length	9' 10.1"-15' 9.0" (3-4,8 m)
ft/sq ft	2.2", 5.35'/ft ² (57 mm, 17,54 rm/m ²)

Luna Panel System 1x5



actual size	0.75" x 4.6" (19x117 mm)
class	LunaThermo-D
species	Nordic pine
length	9' 10.1"/ 11' 9.7"-16' 8.8" (3,0 / 3,6 - 5,1 m)
ft/sq ft	4.2", 2.88'/ft ² (106 mm, 9,43 rm/m ²)

Luna Panel System 1x6




actual size	0.75" x 5.5" (19x140 mm)
class	LunaThermo-D
species	Nordic pine
length	11' 9.7"-16' 8.8" (3,6-5,4 m)
ft/sq ft	5.1", 2.36'/ft ² (129 mm, 7,75 rm/m ²)

Luna Panel System 5/4x4



actual size	1.02" x 3.62" (26x92mm)
class	LunaThermo-D
species	Nordic pine
length	9' 10.1"-14' 9.2" (3-4,5 m)
ft/sq ft	3.2", 3.76'/ft ² (81 mm, 12,35 rm/m ²)


Luna Panel System 2x3*



actual size	1.65" x 2.7" (42x68mm)
class	LunaThermo-D
species	Nordic pine
length	9' 10.1"/ 11' 9.7"-13' 9.4" (3,0 / 3,6 - 4,2 m)
ft/sq ft	2.1", 5.59'/ft ² (81 mm, 18,38 rm/m ²)


*In outdoor use only vertical installation

Guideline for Luna Panel System installation




Provide an adequate ventilation cavity behind the cladding with a rainscreen. The rainscreen must provide a 3/4 inch minimum air gap behind the cladding to avoid moisture traps. Do not install heavy objects directly to the product.

Indoor application (top view):







Stainless steel nail or screw length 1-4/7"-2". Recommended nailing angle, 45 degrees.


Outdoor application (top view):




Examples of Luna Panel System claddings



General board joint guideline



Fasten nails/screws to the correct depth



This brochure is provided for informational purposes only and no liability or responsibility of any kind is accepted by Lunawood or its representatives, although Lunawood has taken reasonable efforts to verify the accuracy of any advice, recommendation, or information. Lunawood reserves the right to alter its products, product information and product range without prior notice.